



AMI BEARING LIMITED



1.772 Inch | 45 Millimeter x 3.937 Inch | 100
 Millimeter x 0.984 Inch | 25 Millimeter NSK
 7309BMPC Angular Contact Ball Bearings

Bearing No. 7309BMPC

7309BMPC Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	0.87
EAN	0029176101960
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 3 ISO P6
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	45MM Bore; 100MM Outside Diameter; 25MM Width; Open; Yes Flush Ground; Ball Bearing; Single



AMI BEARING LIMITED

	Row of Balls; ABEC 3 ISO P6; No Filling Slot; No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	7309BMPC
Weight / LBS	0.87
D	3.937 Inch 100 Millimeter
B	0.984 Inch 25 Millimeter
d	1.772 Inch 45 Millimeter
bore diameter:	45 mm
operating temperature range:	Maximum of +250 ° F
outside diameter:	100 mm
cage material:	Brass
overall width:	25 mm
outer ring width:	25 mm
contact angle:	40 °
maximum rpm:	7500 RPM
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	ABEC 3 (ISO Class 6)
closure type:	Open
fillet radius:	1.5 mm
radial dynamic load capacity:	5950 kgf
series:	73



AMI BEARING LIMITED

radial static load capacity:

4100 kgf